

Daftar Pustaka

- [1] Fahmawaty, "Perancangan Alat Penghitung Jumlah Pengunjung Di Perpustakaan Unis Tangerang Menggunakan Sensor Pir Berbasis IoT," *JIMTEK J. Ilm. Fak. Tek.*, vol. 1, no. 3, pp. 253–261, 2020, [Online]. Available: <http://ejournal.unis.ac.id/index.php/jimtek/article/download/1124/Mega/>.
- [2] S. Ayyubi, I. Anshory, I. Sulistyowati, and D. Hadidja, "The System Monitoring Laboratorium Electrical Engineering With Internet of Things Based To Be Smaart Campus," *Procedia Eng. Life Sci.*, vol. 1, no. 2, pp. 1–7, 2021, doi: 10.21070/pels.v1i2.955.
- [3] Espressif Systems, "ESP32 Series datasheet version 5.0," *Esp32*, pp. 1–65, 2021, [Online]. Available: https://www.espressif.com/sites/default/files/documentation/esp32s2_datasheet_en.pdf.
- [4] A. Prafanto, E. Budiman, P. P. Widagdo, G. M. Putra, and R. Wardhana, "Pendeteksi Kehadiran menggunakan ESP32 untuk Sistem Pengunci Pintu Otomatis," *JTT (Jurnal Teknol. Ter.*, vol. 7, no. 1, p. 37–43, 2021, doi: 10.31884/jtt.v7i1.318.
- [5] R. F. Purba and I. Roza, "Rancang Bangun Sistem Handsanitizer Dan Handwash Otomatis Menggunakan Sensor Proximity Berbasis Arduino Guna Mencegah Penularan Virus Corona," *RELE (Rekayasa Elektr. dan Energi) J. Tek. Elektro*, vol. 4, no. 2, pp. 84–89, 2022, doi: 10.30596/rele.v4i2.9529.
- [6] M. D. Armawansyah, "Rancang bangun sistem monitoring jumlah orang di dalam ruangan berbasis IoT (Internet of Things) menggunakan NodeMCU dan notifikasi ke Telegram," S1 Thesis, Program Studi Teknik Informatika, STMIK Widya Cipta Dharma, Samarinda, Indonesia, 2021. [Online]. Available: <https://repository.wicida.ac.id/4007/>
- [7] M. A. Aniru, E. V. Osasenaga, O. E. Emmanuel, M. O. Gerald, and E. O. Melody, "Design and construction of a smart lock system using Internet of Things (IoT)," *Int. J. Inform. Inf. Syst. Comput. Eng.*, vol. 6, no. 1, pp. 82–95, Dec. 2024, doi: 10.34010/injiiscom.v6i1.14127.
- [8] I. R. Putra, Alamsyah, M. S., A. Amir, and T. Suryani S, "Rancang bangun sistem informasi penghitung jumlah orang pada ruangan tertutup berbasis Internet of Things (IoT)," in *Proc. Semin. Nas. Tek. Elektro dan Inform. (SNTEI)*, vol. 8, no. 1, pp. 180–184, 2022, [Online]. Available: <http://jurnal.poliupg.ac.id/index.php/sntei/article/view/3582>

- [9] B. Arifin, N. Budisusila Eka, and A. Chayadi, "Penghitung Jumlah Orang Dalam Ruang Dengan Sensor Inframerah Dan Modul Lcd Tft Sebagai Display," *Pros. SNST ke-9 Tahun 2018 Fak. Tek. Univ. Wahid Hasyim*, pp. 43–47, 2021.
- [10] R. D. Saputra, A. Bachri, and A. B. Laksono, "Rancang bangun alat penghitung jumlah pengunjung di restoran menggunakan sensor PIR HC-SR 501 dan pintu otomatis untuk penerapan social distancing berbasis Arduino," *RESISTOR (Elektronika Kendali Telekomunikasi Tenaga Listrik Komputer)*, vol. 6, no. 2, pp. 93–98, Nov. 2023, doi: 10.24853/resistor.6.2.93-98.
- [11] R. T. Detaq, M. O. Odja, and A. H. Ginting, "Sistem Kontrol dan Monitoring Keamanan Pintu Menggunakan Mikrokontroller dan Smartphone," *JTekEL: Jurnal Teknik Elektro*, vol. 1, no. 1, pp. 48–52, 2024.
- [12] A. Susanto and R. W. Pratiwi, "Alat Kendali Perangkat Ruangan Otomatis Dengan Sistem Penghitung Menggunakan Sensor Infrared Berbasis Arduino," *JTST J. Teknologi dan Sistem Tertanam*, vol. 2, no. 2, pp. 1–12, 2021.
- [13] A. Murdhiani, "Pengembangan Sistem Penghitung Pengunjung Ruang Baca Departemen Teknik Elektro Menggunakan Teknologi Mikrokontroler," *JTEIN: Jurnal Teknik Elektro Indonesia*, vol. 4, no. 2, pp. 609–618, 2023, doi: 10.24036/jtein.v4i2.458.
- [14] R. Alamsyah, "Alat Pemantau dan Penghitung Jumlah Pengunjung Berbasis Aplikasi Telegram," *J. Appl. Electr. Eng.*, vol. 7, no. 1, pp. 7–13, 2023, doi: 10.30871/jaee.v7i1.5459.
- [15] T. F. Siallagan and T. Tita, "Di Rancang Bangun Sistem Keamanan Terhadap Kunci Ruangan Berbasis Bot Telegram Menggunakan Mikrokontroler ESP8266," *JOINT (Journal of Information Technology)*, vol. 2, no. 2, pp. 45–54, 2020, doi: 10.47292/joint.v2i2.23.
- [16] J. Gubbi, R. Buyya, S. Marusic, and M. Palaniswami, "Internet of Things (IoT): A vision, architectural elements, and future directions," *Futur. Gener. Comput. Syst.*, vol. 29, no. 7, pp. 1645–1660, 2021, doi: 10.1016/j.future.2013.01.010.
- [17] K. Sha, T. A. Yang, W. Wei, and S. Davari, "A survey of edge computing-based designs for IoT security," *Digit. Commun. Networks*, vol. 6, no. 2, pp. 195–202, 2020, doi: 10.1016/j.dcan.2019.08.006.
- [18] [1] R. M. Alonso et al., "IoT-Based Management Platform for Real-Time Spectrum and Energy Optimization of Broadcasting Networks," *Wireless Commun. Mob. Comput.*, vol. 2022, Art. no. 7287641, pp. 1–14, 2022, doi: 10.1155/2022/7287641.

- [19] M. Aaqib, A. Ali, L. Chen, and O. Nibouche, "IoT trust and reputation: A survey and taxonomy," *J. Cloud Comput.*, vol. 12, no. 1, pp. 1–20, 2023, doi: 10.1186/s13677-023-00416-8.
- [20] L. Monti, "Enabling Human Centric Smart Campuses via Edge Computing and Connected Objects," Ph.D. Dissertation, Alma Mater Studiorum Università, Bologna, Italy, 2021. [Online]. Available: <https://amsdottorato.unibo.it/id/eprint/9606>
- [21] P. Tsankov, S. Marinovic, M. T. Dashti, and D. Basin, "Fail-Secure Access Control," *Proc. CCS '14: ACM SIGSAC Conf. Comput. Commun. Secur.*, Scottsdale, AZ, USA, pp. 1157–1168, 2022, doi: 10.1145/2660267.2660307.
- [22] A. Yoppi, H. Khair, and R. Puspadini, "Kunci Pintu Otomatis Berbasis IoT Menggunakan Kunci Solenoid," *Global Research and Innovation Journal*, vol. 1, no. 3, pp. 586–592, 2025.
- [23] R. Kathage, D. J. Brooks, and M. Coole, "Decision - making in balancing fire safety hazards against security threats within the built environment," *Secur. J.*, vol. 37, no. 4, pp. 1546–1575, 2024, doi: 10.1057/s41284-024-00431-7.
- [24] A. Allen, A. Mylonas, S. Vidalis, and D. Gritzalis, "Smart Homes Under Siege: Assessing the Robustness of Physical Security Against Wireless Network Attacks," *Comput. Secur.*, vol. 139, no. 4, pp. 1–13, 2024, doi: 10.1016/j.cose.2023.103687.
- [25] A. A. Al Sarfini and D. Irawan, "Sistem Kontrol Jarak Jauh Plc Menggunakan Esp32 Berbasis Iot," *J. Amplif. J. Ilm. Bid. Tek. Elektro Dan Komput.*, vol. 14, no. 1, pp. 51–55, 2024, doi: 10.33369/jamplifier.v14i1.33484.
- [26] Espressif Systems, "ESP32 Technical Reference Manual," ver. 5.3, Espressif Systems, Shanghai, China, 2024. [Online]. Available: https://www.espressif.com/sites/default/files/documentation/esp32_technical_reference_manual_en.pdf
- [27] A. Noerifanza, "Analisa Kelayakan Modul ESP32 Sebagai Kamera untuk Pengenalan Objek Sehari-hari," *J. Comput. Electron. Telecommun.*, vol. 3, no. 2, pp. 2–13, 2022, doi: 10.52435/complete.v3i2.263.
- [28] K. Umam, H. Haryanto, and R. Alfita, "Rancang Bangun Robot Pembersih Kaca Otomatis Berbasis Mikrokontroler ARM STM32 Dengan Sensor Proximity," *Indones. J. Eng. Technol.*, vol. 2, no. 1, pp. 24–29, 2020, doi: 10.26740/inajet.v2n1.p24-29.
- [29] S. Ndruru, D. Suherdi, and F. Taufik, "Sistem Monitoring Smart Room

Puskesmas Berbasis IoT," *J. Sist. Komput. Triguna Dharma*, vol. 3, no. 5, pp. 174–182, 2024, doi: 10.53513/jursik.v3i5.8605.

- [30] I. N. Sofiyanto, H. N. E. Febrianto, and A. P. Pratama, "Prototipe Sistem Keamanan Pintu Otomatis Berbasis ESP32-CAM dengan Integrasi Blynk," *Pros. SENATIB Tahun 2025 Univ. Duta Bangsa Surakarta*, pp. 835–843, 2025, doi: 10.47701/cmp9hs64.
- [31] A. Ziad, E. Darnila, and Kurniawati, "Development and Implementation of an ESP32 Microcontroller and Monitoring System for Smart Door Lock Using RFID Sensor for E-KTP ID and Fingerprint Based on the Internet of Things," *Pros. MICO MS Tahun 2024 Univ. Malikussaleh*, vol. 4, Art. no. 00023, pp. 1–10, 2024.
- [32] A. Wibowo and A. B. Nugroho, "Prototipe Alat Notifikasi Penggantian Oli pada Sepeda Motor Berbasis Sensor Hall dan Mikrokontroler ESP32," *Tesla J. Tek. Elektro*, vol. 26, no. 1, pp. 41–48, 2024, doi: 10.24912/tesla.v26i1.29263.
- [33] D. A. Jakaria and M. R. Fauzi, "Aplikasi Smartphone dengan Perintah Suara untuk Mengendalikan Saklar Listrik Menggunakan Arduino," *JUTEKIN: J. Tek. Inform.*, vol. 8, no. 1, pp. 21–30, 2020, doi: 10.51530/jutekin.v8i1.462.
- [34] I. P. Hanggara and F. A. Rakhmadi, "Design of Prototype Home Door Security System Based Solenoid Door Lock, Magnetic Sesor, Microcontroller Nodemcu Esp8266 and Blynk Application," *Pros. Int. Conf. Sci. Eng. (ICSE)*, vol. 4, pp. 22–23, 2021. [Online]. Available: <https://sunankalijaga.org/prosiding/index.php/icse/article/view/613>
- [35] A. Fakhruddin, D. Irawan, and S. Agustin, "Rancang bangun sistem keamanan pintu rumah berbasis Internet of Things dengan ESP32 dan aplikasi Blynk," *J. Tek. Elektro dan Inform.*, vol. 19, no. 1, pp. 53–59, 2024, doi: 10.30587/e-link.v19i1.10770.
- [36] A. Walunj, S. Gaikwad, S. More, J. Kor, and S. Bendre, "IoT-based automatic door locking system," *Int. Res. J. Mod. Eng. Technol. Sci. (IRJMETS)*, vol. 7, no. 3, pp. 5540–5542, 2025. [Online]. Available: <https://www.irjmets.com>

