

SAMPEL AVTUR



Sampel Avtur CDU II November 00.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
11/1/2021	0.812	49	141	267	-53	Class 1
11/2/2021	0.809	46	160	262	-54	Class 1
11/3/2021	0.801	42	152	269	-59	Class 1
11/4/2021	0.815	49	155	261	-52	Class 1
11/5/2021	0.819	46	142	263	-49	Class 1
11/6/2021	0.82	40	149	267	-53	Class 1
11/7/2021	0.815	48	161	266	-54	Class 1
11/8/2021	0.809	46	159	268	-59	Class 1
11/9/2021	0.801	42	154	260	-45	Class 1
11/10/2021	0.812	49	144	263	-47	Class 1
11/11/2021	0.815	47	154	267	-53	Class 1
11/12/2021	0.821	41	157	261	-54	Class 1
11/13/2021	0.803	42	152	265	-59	Class 1
11/14/2021	0.809	48	158	267	-58	Class 1
11/15/2021	0.817	38	152	264	-57	Class 1
11/16/2021	0.811	40	154	263	-59	Class 1
11/17/2021	0.809	49	160	261	-52	Class 1
11/18/2021	0.815	40	152	268	-49	Class 1
11/19/2021	0.821	42	154	266	-50	Class 1
11/20/2021	0.815	43	158	269	-52	Class 1
11/21/2021	0.812	44	148	263	-49	Class 1
11/22/2021	0.817	47	148	264	-50	Class 1
11/23/2021	0.821	43	147	269	-49	Class 1
11/24/2021	0.811	42	142	258	-50	Class 1
11/25/2021	0.809	44	149	255	-55	Class 1
11/26/2021	0.817	47	157	245	-46	Class 1
11/27/2021	0.801	36	142	244	-46	Class 1
11/28/2021	0.821	47	158	256	-45	Class 1
11/29/2021	0.812	45	155	260	-52	Class 1
11/30/2021	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II Desember 00.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
12/1/2021	0.817	47	148	264	-53	Class 1
12/2/2021	0.821	40	147	269	-49	Class 1
12/3/2021	0.811	42	142	258	-50	Class 1
12/4/2021	0.809	44	149	255	-55	Class 1
12/5/2021	0.817	47	157	245	-50	Class 1
12/6/2021	0.801	36	142	244	-46	Class 1
12/7/2021	0.821	47	158	256	-50	Class 1
12/8/2021	0.812	45	155	260	-52	Class 1
12/9/2021	0.817	46	156	245	-52	Class 1
12/10/2021	0.821	41	157	261	-52	Class 1
12/11/2021	0.803	42	152	265	-56	Class 1
12/12/2021	0.803	42	152	265	-56	Class 1
12/13/2021	0.809	48	158	267	-58	Class 1
12/14/2021	0.817	41	152	264	-57	Class 1
12/15/2021	0.811	40	154	263	-59	Class 1
12/16/2021	0.809	49	160	261	-46	Class 1
12/17/2021	0.815	40	152	268	-54	Class 1
12/18/2021	0.821	42	154	266	-59	Class 1
12/19/2021	0.815	43	158	269	-52	Class 1
12/20/2021	0.812	44	148	263	-50	Class 1
12/21/2021	0.812	44	148	263	-46	Class 1
12/22/2021	0.812	49	141	267	-53	Class 1
12/23/2021	0.809	42	160	262	-54	Class 1
12/24/2021	0.801	42	152	269	-59	Class 1
12/25/2021	0.815	41	155	261	-52	Class 1
12/26/2021	0.819	46	142	263	-49	Class 1
12/27/2021	0.82	40	149	267	-50	Class 1
12/28/2021	0.815	48	161	266	-52	Class 1
12/29/2021	0.809	46	159	268	-49	Class 1
12/30/2021	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II Januari 00.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
1/1/2022	0.809	48	158	267	-58	Class 1
1/2/2022	0.817	42	152	264	-57	Class 1
1/3/2022	0.811	43	154	263	-59	Class 1
1/4/2022	0.809	49	160	261	-46	Class 1
1/5/2022	0.815	40	152	268	-45	Class 1
1/6/2022	0.821	42	154	266	-59	Class 1
1/7/2022	0.815	43	158	269	-52	Class 1
1/8/2022	0.809	46	159	268	-49	Class 1
1/9/2022	0.801	42	154	260	-50	Class 1
1/10/2022	0.812	49	141	267	-53	Class 1
1/11/2022	0.809	42	160	262	-54	Class 1
1/12/2022	0.801	43	152	269	-59	Class 1
1/13/2022	0.815	41	155	261	-52	Class 1
1/14/2022	0.819	46	142	263	-49	Class 1
1/15/2022	0.82	40	149	267	-50	Class 1
1/16/2022	0.815	48	161	266	-52	Class 1
1/17/2022	0.809	46	159	268	-52	Class 1
1/18/2022	0.815	40	152	268	-58	Class 1
1/19/2022	0.821	42	154	266	-57	Class 1
1/20/2022	0.815	43	158	269	-59	Class 1
1/21/2022	0.812	44	148	263	-52	Class 1
1/22/2022	0.817	47	148	264	-46	Class 1
1/23/2022	0.821	40	147	269	-49	Class 1
1/24/2022	0.811	42	142	258	-50	Class 1
1/25/2022	0.809	44	149	255	-55	Class 1
1/26/2022	0.817	47	157	245	-58	Class 1
1/27/2022	0.801	39	142	244	-57	Class 1
1/28/2022	0.821	47	158	256	-59	Class 1
1/29/2022	0.812	45	155	260	-52	Class 1
1/30/2022	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II After DMAIC 00.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
12/1/2025	0.817	47	148	264	-53	Class 1
12/2/2025	0.821	40	147	269	-49	Class 1
12/3/2025	0.811	42	142	258	-50	Class 1
12/4/2025	0.809	44	149	255	-55	Class 1
12/5/2025	0.817	47	157	245	-50	Class 1
12/6/2025	0.801	36	142	244	-52	Class 1
12/7/2025	0.821	47	158	256	-50	Class 1
12/8/2025	0.812	45	155	260	-52	Class 1
12/9/2025	0.817	46	156	245	-52	Class 1
12/10/2025	0.821	41	157	261	-52	Class 1
12/11/2025	0.803	42	152	265	-56	Class 1
12/12/2025	0.803	42	152	265	-56	Class 1
12/13/2025	0.809	48	158	267	-58	Class 1
12/14/2025	0.817	41	152	264	-57	Class 1
12/15/2025	0.811	40	154	263	-59	Class 1
12/16/2025	0.809	49	160	261	-46	Class 1
12/17/2025	0.815	40	152	268	-54	Class 1
12/18/2025	0.821	42	154	266	-59	Class 1
12/19/2025	0.815	43	158	269	-52	Class 1
12/20/2025	0.812	44	148	263	-50	Class 1
12/21/2025	0.812	44	148	263	-46	Class 1
12/22/2025	0.812	49	141	267	-53	Class 1
12/23/2025	0.809	42	160	262	-54	Class 1
12/24/2025	0.801	42	152	269	-59	Class 1
12/25/2025	0.815	41	155	261	-52	Class 1
12/26/2025	0.819	46	142	263	-49	Class 1
12/27/2025	0.82	40	149	267	-50	Class 1
12/28/2025	0.815	48	161	266	-52	Class 1
12/29/2025	0.809	46	159	268	-49	Class 1
12/30/2025	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II November 08.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
11/1/2021	0.817	47	148	264	-53	Class 1
11/2/2021	0.821	37	147	269	-49	Class 1
11/3/2021	0.811	42	142	258	-50	Class 1
11/4/2021	0.809	44	149	255	-55	Class 1
11/5/2021	0.817	47	157	245	-50	Class 1
11/6/2021	0.801	47	142	244	-46	Class 1
11/7/2021	0.821	36	158	256	-50	Class 1
11/8/2021	0.812	45	155	260	-52	Class 1
11/9/2021	0.817	46	156	245	-52	Class 1
11/10/2021	0.821	41	157	261	-52	Class 1
11/11/2021	0.803	42	152	265	-56	Class 1
11/12/2021	0.803	42	152	265	-56	Class 1
11/13/2021	0.809	48	158	267	-58	Class 1
11/14/2021	0.817	-50	152	264	-57	Class 1
11/15/2021	0.811	37	154	263	-59	Class 1
11/16/2021	0.809	49	160	261	-46	Class 1
11/17/2021	0.815	40	152	268	-54	Class 1
11/18/2021	0.821	42	154	266	-59	Class 1
11/19/2021	0.815	43	158	269	-52	Class 1
11/20/2021	0.812	44	148	263	-50	Class 1
11/21/2021	0.812	44	148	263	-46	Class 1
11/22/2021	0.812	49	141	267	-53	Class 1
11/23/2021	0.809	42	160	262	-54	Class 1
11/24/2021	0.801	42	152	269	-59	Class 1
11/25/2021	0.815	41	155	261	-52	Class 1
11/26/2021	0.819	46	142	263	-49	Class 1
11/27/2021	0.82	40	149	267	-50	Class 1
11/28/2021	0.815	48	161	266	-52	Class 1
11/29/2021	0.809	46	159	268	-49	Class 1
11/30/2021	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II Desember 08.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Cupper Strip
12/1/2021	0.809	48	158	267	-58	Class 1
12/2/2021	0.817	42	152	264	-57	Class 1
12/3/2021	0.811	43	154	263	-59	Class 1
12/4/2021	0.809	49	160	261	-46	Class 1
12/5/2021	0.815	40	152	268	-45	Class 1
12/6/2021	0.821	42	154	266	-59	Class 1
12/7/2021	0.815	43	158	269	-52	Class 1
12/8/2021	0.809	46	159	268	-49	Class 1
12/9/2021	0.801	42	154	260	-50	Class 1
12/10/2021	0.812	49	141	267	-53	Class 1
12/11/2021	0.809	42	160	262	-54	Class 1
12/12/2021	0.801	43	152	269	-59	Class 1
12/13/2021	0.815	41	155	261	-52	Class 1
12/14/2021	0.819	46	142	263	-49	Class 1
12/15/2021	0.82	40	149	267	-50	Class 1
12/16/2021	0.815	48	161	266	-52	Class 1
12/17/2021	0.809	46	159	268	-52	Class 1
12/18/2021	0.815	40	152	268	-58	Class 1
12/19/2021	0.821	42	154	266	-57	Class 1
12/20/2021	0.815	43	158	269	-59	Class 1
12/21/2021	0.812	44	148	263	-52	Class 1
12/22/2021	0.817	47	148	264	-46	Class 1
12/23/2021	0.821	40	147	269	-49	Class 1
12/24/2021	0.811	42	142	258	-50	Class 1
12/25/2021	0.809	44	149	255	-55	Class 1
12/26/2021	0.817	47	157	245	-58	Class 1
12/27/2021	0.801	39	142	244	-57	Class 1
12/28/2021	0.821	47	158	256	-59	Class 1
12/29/2021	0.812	45	155	260	-52	Class 1
12/30/2021	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II Januari 08.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Cupper Strip
1/1/2022	0.812	49	141	267	-53	Class 1
1/2/2022	0.809	46	160	262	-54	Class 1
1/3/2022	0.801	42	152	269	-59	Class 1
1/4/2022	0.815	49	155	261	-52	Class 1
1/5/2022	0.819	46	142	263	-49	Class 1
1/6/2022	0.82	40	149	267	-53	Class 1
1/7/2022	0.815	48	161	266	-54	Class 1
1/8/2022	0.809	46	159	268	-59	Class 1
1/9/2022	0.801	42	154	260	-45	Class 1
1/10/2022	0.812	49	144	263	-47	Class 1
1/11/2022	0.815	47	154	267	-53	Class 1
1/12/2022	0.821	41	157	261	-54	Class 1
1/13/2022	0.803	42	152	265	-59	Class 1
1/14/2022	0.809	48	158	267	-58	Class 1
1/15/2022	0.817	38	152	264	-57	Class 1
1/16/2022	0.811	37	154	263	-59	Class 1
1/17/2022	0.809	49	160	261	-52	Class 1
1/18/2022	0.815	40	152	268	-49	Class 1
1/19/2022	0.821	42	154	266	-50	Class 1
1/20/2022	0.815	43	158	269	-52	Class 1
1/21/2022	0.812	44	148	263	-49	Class 1
1/22/2022	0.817	47	148	264	-50	Class 1
1/23/2022	0.821	37	147	269	-49	Class 1
1/24/2022	0.811	42	142	258	-50	Class 1
1/25/2022	0.809	44	149	255	-55	Class 1
1/26/2022	0.817	47	157	245	-46	Class 1
1/27/2022	0.801	36	142	244	-46	Class 1
1/28/2022	0.821	47	158	256	-45	Class 1
1/29/2022	0.812	45	155	260	-52	Class 1
1/30/2022	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II After DMAIC 08.00						
Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
12/1/2025	0.817	47	148	264	-53	Class 1
12/2/2025	0.821	43	147	269	-50	Class 1
12/3/2025	0.811	42	142	258	-50	Class 1
12/4/2025	0.809	44	149	255	-55	Class 1
12/5/2025	0.817	47	157	245	-50	Class 1
12/6/2025	0.801	47	142	244	-49	Class 1
12/7/2025	0.821	42	158	256	-50	Class 1
12/8/2025	0.812	45	155	260	-52	Class 1
12/9/2025	0.817	46	156	245	-52	Class 1
12/10/2025	0.821	41	157	261	-52	Class 1
12/11/2025	0.803	42	152	265	-56	Class 1
12/12/2025	0.803	42	152	265	-56	Class 1
12/13/2025	0.809	48	158	267	-58	Class 1
12/14/2025	0.817	-50	152	264	-57	Class 1
12/15/2025	0.811	37	154	263	-59	Class 1
12/16/2025	0.809	49	160	261	-46	Class 1
12/17/2025	0.815	40	152	268	-54	Class 1
12/18/2025	0.821	42	154	266	-59	Class 1
12/19/2025	0.815	43	158	269	-52	Class 1
12/20/2025	0.812	44	148	263	-50	Class 1
12/21/2025	0.812	44	148	263	-50	Class 1
12/22/2025	0.812	49	141	267	-53	Class 1
12/23/2025	0.809	42	160	262	-54	Class 1
12/24/2025	0.801	42	152	269	-59	Class 1
12/25/2025	0.815	41	155	261	-52	Class 1
12/26/2025	0.819	46	142	263	-49	Class 1
12/27/2025	0.82	40	149	267	-50	Class 1
12/28/2025	0.815	48	161	266	-52	Class 1
12/29/2025	0.809	46	159	268	-49	Class 1
12/30/2025	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II November 16.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
11/1/2021	0.809	48	158	267	-58	Class 1
11/2/2021	0.817	42	152	264	-57	Class 1
11/3/2021	0.811	43	154	263	-59	Class 1
11/4/2021	0.809	49	160	261	-46	Class 1
11/5/2021	0.815	40	152	268	-45	Class 1
11/6/2021	0.821	42	154	266	-59	Class 1
11/7/2021	0.815	43	158	269	-52	Class 1
11/8/2021	0.809	46	159	268	-49	Class 1
11/9/2021	0.801	42	154	260	-50	Class 1
11/10/2021	0.812	49	141	267	-53	Class 1
11/11/2021	0.809	42	160	262	-54	Class 1
11/12/2021	0.801	43	152	269	-59	Class 1
11/13/2021	0.815	41	155	261	-52	Class 1
11/14/2021	0.819	46	142	263	-49	Class 1
11/15/2021	0.82	40	149	267	-50	Class 1
11/16/2021	0.815	48	161	266	-52	Class 1
11/17/2021	0.809	46	159	268	-52	Class 1
11/18/2021	0.815	40	152	268	-58	Class 1
11/19/2021	0.821	42	154	266	-57	Class 1
11/20/2021	0.815	43	158	269	-59	Class 1
11/21/2021	0.812	44	148	263	-52	Class 1
11/22/2021	0.817	47	148	264	-46	Class 1
11/23/2021	0.821	40	147	269	-49	Class 1
11/24/2021	0.811	42	142	258	-50	Class 1
11/25/2021	0.809	44	149	255	-55	Class 1
11/26/2021	0.817	47	157	245	-58	Class 1
11/27/2021	0.801	39	142	244	-57	Class 1
11/28/2021	0.821	47	158	256	-59	Class 1
11/29/2021	0.812	45	155	260	-52	Class 1
11/30/2021	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II Desember 16.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
12/1/2021	0.812	49	141	267	-53	Class 1
12/2/2021	0.809	46	160	262	-54	Class 1
12/3/2021	0.801	42	152	269	-59	Class 1
12/4/2021	0.815	49	155	261	-52	Class 1
12/5/2021	0.819	46	142	263	-49	Class 1
12/6/2021	0.82	40	149	267	-53	Class 1
12/7/2021	0.815	48	161	266	-54	Class 1
12/8/2021	0.809	46	159	268	-59	Class 1
12/9/2021	0.801	42	154	260	-45	Class 1
12/10/2021	0.812	49	144	263	-47	Class 1
12/11/2021	0.815	47	154	267	-53	Class 1
12/12/2021	0.821	41	157	261	-54	Class 1
12/13/2021	0.803	42	152	265	-59	Class 1
12/14/2021	0.809	48	158	267	-58	Class 1
12/15/2021	0.817	38	152	264	-57	Class 1
12/16/2021	0.811	37	154	263	-59	Class 1
12/17/2021	0.809	49	160	261	-52	Class 1
12/18/2021	0.815	40	152	268	-49	Class 1
12/19/2021	0.821	42	154	266	-50	Class 1
12/20/2021	0.815	43	158	269	-52	Class 1
12/21/2021	0.812	44	148	263	-49	Class 1
12/22/2021	0.817	47	148	264	-50	Class 1
12/23/2021	0.821	37	147	269	-49	Class 1
12/24/2021	0.811	42	142	258	-50	Class 1
12/25/2021	0.809	44	149	255	-55	Class 1
12/26/2021	0.817	47	157	245	-46	Class 1
12/27/2021	0.801	36	142	244	-46	Class 1
12/28/2021	0.821	47	158	256	-45	Class 1
12/29/2021	0.812	45	155	260	-52	Class 1
12/30/2021	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II Januari 16.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
1/1/2022	0.817	47	148	264	-53	Class 1
1/2/2022	0.821	37	147	269	-49	Class 1
1/3/2022	0.811	42	142	258	-50	Class 1
1/4/2022	0.809	44	149	255	-55	Class 1
1/5/2022	0.817	47	157	245	-50	Class 1
1/6/2022	0.801	36	142	244	-46	Class 1
1/7/2022	0.821	47	158	256	-50	Class 1
1/8/2022	0.812	45	155	260	-52	Class 1
1/9/2022	0.817	46	156	245	-52	Class 1
1/10/2022	0.821	41	157	261	-52	Class 1
1/11/2022	0.803	42	152	265	-56	Class 1
1/12/2022	0.803	42	152	265	-56	Class 1
1/13/2022	0.809	48	158	267	-58	Class 1
1/14/2022	0.817	-50	152	264	-57	Class 1
1/15/2022	0.811	37	154	263	-59	Class 1
1/16/2022	0.809	49	160	261	-46	Class 1
1/17/2022	0.815	40	152	268	-54	Class 1
1/18/2022	0.821	42	154	266	-59	Class 1
1/19/2022	0.815	43	158	269	-52	Class 1
1/20/2022	0.812	44	148	263	-50	Class 1
1/21/2022	0.812	44	148	263	-46	Class 1
1/22/2022	0.812	49	141	267	-53	Class 1
1/23/2022	0.809	42	160	262	-54	Class 1
1/24/2022	0.801	42	152	269	-59	Class 1
1/25/2022	0.815	41	155	261	-52	Class 1
1/26/2022	0.819	46	142	263	-49	Class 1
1/27/2022	0.82	40	149	267	-50	Class 1
1/28/2022	0.815	48	161	266	-52	Class 1
1/29/2022	0.809	46	159	268	-49	Class 1
1/30/2022	0.817	46	156	245	-52	Class 1

Sampel Avtur CDU II After DMAIC 16.00

Tanggal	SG	Flash Point	Initial Boiling Point	Final Boiling Point	Freezing Point	Copper Strip
12/1/2025	0.812	49	141	267	-53	Class 1
12/2/2025	0.809	46	160	262	-54	Class 1
12/3/2025	0.801	42	152	269	-59	Class 1
12/4/2025	0.815	49	155	261	-52	Class 1
12/5/2025	0.819	46	142	263	-49	Class 1
12/6/2025	0.82	40	149	267	-53	Class 1
12/7/2025	0.815	48	161	266	-54	Class 1
12/8/2025	0.809	46	159	268	-59	Class 1
12/9/2025	0.801	42	154	260	-45	Class 1
12/10/2025	0.812	49	144	263	-47	Class 1
12/11/2025	0.815	47	154	267	-53	Class 1
12/12/2025	0.821	41	157	261	-54	Class 1
12/13/2025	0.803	42	152	265	-59	Class 1
12/14/2025	0.809	48	158	267	-58	Class 1
12/15/2025	0.817	40	152	264	-57	Class 1
12/16/2025	0.811	42	154	263	-59	Class 1
12/17/2025	0.809	37	160	261	-52	Class 1
12/18/2025	0.815	40	152	268	-49	Class 1
12/19/2025	0.821	42	154	266	-50	Class 1
12/20/2025	0.815	43	158	269	-52	Class 1
12/21/2025	0.812	44	148	263	-49	Class 1
12/22/2025	0.817	47	148	264	-50	Class 1
12/23/2025	0.821	37	147	269	-49	Class 1
12/24/2025	0.811	42	142	258	-50	Class 1
12/25/2025	0.809	44	149	255	-55	Class 1
12/26/2025	0.817	47	157	245	-49	Class 1
12/27/2025	0.801	42	142	244	-51	Class 1
12/28/2025	0.821	47	158	256	-50	Class 1
12/29/2025	0.812	45	155	260	-52	Class 1
12/30/2025	0.817	46	156	245	-52	Class 1